



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.28

AMARAVATI, WEDNESDAY, JULY 18, 2018

G.252

**PART II - MISCELLANEOUS NOTIFICATIONSN OF INTEREST TO THE PUBLIC**

--X--

**NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc.,**

**OFFICE OF THE ENGINEER-IN-CHIEF (Admn. Wing)**  
**Water Resources Department, PWD Grounds, A.P. Vijayawada.**

EXPLANATION CALLED FOR Smt. B.S. SANDHYA, A.E.E. - ABSENT TO DUTY UNAUTHORIZEDLY FROM 01-09-2014 ONWARDS - FINAL NOTICE ISSUED FOR REJOIN DUTY.

- Ref: 1. This office Circular Memo. No. RC/ENC//K(1)/2016-1,  
Dated : 25-5-2016.
2. From the S.E, Irrgn. Circle, Vijayawada Lr.No. 65 ENC,  
Dated : 17-6-2016.

-::oOo::-

**Memo. No. RC/ENC/K (1) /16061875 /2016,-** Smt. B. S. Sandhya, Asst. Exe. Engineer ( D.B. 26-08-1989 :: Zone - II), while working in Irrigation Circle, Vijayawada was absent to duty unauthorisedly from 1-9-2014 onwards and not turned up to duty till to date. The Superintending Engineer in his Letter No. 79 ENC Dated : 24-4-2015 has surrendered her services to this office .

The action of the Asst.Exe.Engineer in absenting to duty unauthorisedly for more than two years is highly irregular. As per Rule - 5 (B) of A.P.Leave Rules, 1933 and also in terms of G.O.Ms.No. 129 Fin. FR-(1) Department Dated : 1-6-2007 " A Govt, servant shall be deemed to have resigned from the service if he is absent without authorization for a period of exceeding one year. In accordance with above rules, why the major punishment of removal from service may not be taken against her for her unauthorized absence to duty.

Hence, the Asst. Exe. Engineer is directed to approach this office and furnish the reasons for her unauthorized absence to duty from 1-9-2014 onwards immediately for taking further action in the matter, otherwise disciplinary action will be initiated against her for her unauthorized absence from duty as per the A.P.C.S. (CC&A) Rules, 1991.

**M.V. RAVI KUMAR,**  
*Engineer-in-Chief (A.W.).*

Dated : 28-10-2016.

To

1. Smt. B. S. Sandhya,  
Asst. Exe. Engineer,  
Thro. the Superintending Engineer, Irrigation Circle, Vijnyawada.).
2. Smt. B. S. Sandhya, Asst. Exe. Engineer,  
Cheemalapadu (Post)  
A - Konduru ( Mandal),  
Krishna Dist., A.P. 521 227.

EXPLANATION CALLED FOR Smt. K. RAMA DEVI, A.E.E. - ABSENT TO DUTY UNAUTHORIZEDLY FROM 01-06-2016 ONWARDS.

Ref : From the S.E. HNSS Irrigation Project Circle No.1, Kurnool  
Lr.No. 195 ENC, Dated : 13-12-2017.

-::oOo::-

**Memo. No. RC/ENC/K(1)18011988/2018,-** Smt. K. Rama Devi, A.E.E. ( D.B. 15-7-1985 : Zone - IV ), while working in H.N.S.S. Circle No. I, Kurnool has applied leave from 1-6-2016 to 31-8-2016 on personal affairs and extended her leave from time to time up to 28-2- 2017 as a matter of right by violation of Rule-18 and 67 of F.R. Subsequently, the Services of the A.E.E. were surrendered to this office by the C.E. (P), Anantapur in his Letter Dated : 11-1-2017.

The Superintending Engineer, HNSS Circle No. I, Kurnool in his letter cited has requested to take disciplinary action against the A.E.E. for her unauthorised absence to duty.

The action of the A.E.E. in absenting to duty unauthorisedly for more than one year is highly irregular. As per Rule-5 (B) of A.P. Leave Rules, 1933 and also in accordance with G.O.Ms.No. 127 General Administration (Services.C) Department Dated : 15-09-2017 "a Govt. servant shall be deemed

to have been removed from service, if he / she is absent from duty without authorisation for a period exceeding one year. As per the above Rules, why the major punishment of removal from service may not be taken against her for her unauthorized absence to duty. Further, the services of the A.E.E. are not regularised and working as a temporary Govt. servant.

Hence, the A.E.E. is directed to approach this office immediately on receipt of this office Memo. without fail and furnish the reasons for her unauthorised absence to duty from 1-6-2016. Otherwise, it is construed that the A.E.E. is not willing to work in the department and liable to take disciplinary action against her by removing from service as per the A.P.C.S. (CC&A) Rules, 1991.

**K. SRINIVAS,**

*Engineer-in-Chief (Admn.).*

Dated : 13-03-2018.

To

1. Smt. K. Rama Devi, Asst. Exe. Engineer  
(Thro. the Superintending Engineer, HNSS Circle No. 1, Kurnool).
2. Smt. K. Rama Devi, Asst. Exe. Engineer,  
H.No. 3-6-57/19, P-170/17, 1<sup>st</sup> floor, Vivekanandanagar Colony, Kukatpally,  
Hyderabad.
3. Smt. K. Rama Devi, A.E.E.  
(Thro. Email - [rama.guptha@gmail.com](mailto:rama.guptha@gmail.com).)

EXPLANATION CALLED FOR Sri B. SYAM PRASAD, Dy. Exe. ENGINEER - ABSENT TO DUTY UNAUTHORIZEDLY FROM 01-08-2016 ONWARDS.

Ref : From the S.E. Dr. K.L.R.S, Pulichintala Project Circle, Jaggaiahpet  
Letter No. 13 ENC Dated : 4-3-2017.

-::oOo::-

**Memo. No. RC/ENC/K (1) /17031430/2017,-** Sri. B. Syam Prasad, Dy. Exe. Engineer (D.B. 24-06-1967 :: Zone - II) while working in Pulichintala Project Division No.3, Jaggaiahpet of Dr. K.L.R.S. Pulichintala Project Circle, Jaggaiahpet was absent to duty unauthorisedly from 1-8-2016 onwards.

The Superintending Engineer in his letter cited has surrendered his services to this office for taking further action in the matter.

The action of the Dy. Exe. Engineer in absenting to duty unauthorisedly without prior permission is highly irregular and attracting to take disciplinary action against him for his mis-conduct/misbehaviour in terms of APCS (CC&A) Rules, 1991. As per Rule-3(1) of A.P.C.S. (Conduct) Rules, 1964," every Govt., employee shall be devoted to his duty and maintain absolute integrity and discipline. But, the Dy.E.E. has neglected his duty and violated Rule -67 of F.R.

Hence, the Dy.Exe.Engineer is directed to furnish the reasons for his absent to duty unauthorisedly and to submit his willingness to join duty immediately in order to enable this office to issue posting orders, otherwise action will be initiated against him for his unauthorized absence from duty as per the A.P.C.S. (CC&A) Rules, 1991.

**M.V. RAVI KUMAR,**  
*Engineer-in-Chief (Admn.).*

Dated : 28-04-2017.

To

1. Sri. B. Syam Prasad,  
Dy. Exe. Engineer  
H.No. 37-127/21, Sree Colony, Maduranagar, Neredmet X Roads, Secunderabad.
2. Sri. B. Syam Prasad,  
Dy. Exe. Engineer,  
(Thro. the Superintending Engineer, Dr. KLRS. Pulichintala Project Circle,  
Jaggiahpet).

FINAL NOTICE TO RE-JOIN DUTY - INSTRUCTIONS - ISSUED TO Smt. M. PADMAVATHI, A.E.E. - PERMITTED TO GO TO U.S.A. FOR 11 MONTHS FROM 17-11-2015 TO 16-10-2016 - ABSENT TO DUTY UNAUTHORISEDLY BEYOND THE PERIOD OF PERMISSION FROM 17-10-2016 ONWARDS - EXTENSION OF LEAVE REJECTED.

- Ref : 1. This office Memo. No. RC/ENC/G1/15111186/2015, Dated : 27-11-2015.  
2. Extension of her leave application Dated : 11-10-2016.  
3. Extension of leave application Dated : 17-10-2017 received  
T.O. thro. E - mail.

-::oOo::-

**Memo. No. RC/ENC/ K1 / 17101639 / 2017,-** Smt. M. Padmavathi, A.E.E. (D.B. 15-05-1986 :: Zone - II) while working in S.S.L.C. & S.B. Circle, Nellore has been permitted to go to USA, for a period of 11 months from 17-11-2015 to 16-10-2016 subject to the following conditions that the leave will be sanctioned only after

rejoining her duty and if she fails to re-join to duty on or before the due date, disciplinary action will be initiated as per rules vide this office Memo. 1<sup>st</sup> cited. After expiry of her leave, the A.E.E. has not joined, duly extending her leave upto 16-10-2017 vide ref. 2<sup>nd</sup> cited. Again the A.E.E. has extended her leave upto 16-10-2018 thro. E - mail and requested to grant permission to stay with her husband in USA. for some more time.

In this connection it is to inform that, the Engineer-in-Chief is competent to permit to go abroad on leave for one year and below only. Hence, the request of the A.E.E. for further extension of leave cannot be accepted and hereby rejected and is will be considered as unauthorised absence.

As per G.O.Ms.No. 127 General Administration (Services.C) Deptt. Dated : 15-09-2017, a Govt. servant shall be deemed to have been removed from service, if he / she is absent without authorization for a period of exceeding one year with or without leave. The period of absence of the A.E.E. exceeded one year and liable to remove from service in terms of the above Govt., orders.

Hence, the A.E.E. is hereby directed to approach this office immediately and submit her explanation in order to enable this office to take further action in the matter, othewise disciplinary action will be initiated against her, for her unauthorized absence from duty as per the A.P.C.S. (CC&A) Rules, 1991 by removing from service.

This may be treated as Final Notice.

**M. GIRIDHARA REDDY,**  
*Engineer-in-Chief (Admn.).*

Dated : 21-11-2017.

To  
Smt. M. Padmavathi, A.E.E.  
Thro. E-mail [padmavathi.moka@gmail.com](mailto:padmavathi.moka@gmail.com)

---X---